


**UPW
UPSW
0.5m_x**


PRECISION GEARS

0.5 Module Ground Worm α 20° PA

Quality Grade Worm 6e DIN 3974/58405



Case Hardened Steel 805M20		Stainless Steel 17-4PH	
Part Number Bore Worm	No. of Starts Z_1	Part Number Bore Worm	No. of Starts Z_1
UPW0.5-1H	1	UPW0.5-1PH	1
UPW0.5-2H	2	UPW0.5-2PH	2
UPW0.5-3H	3	UPW0.5-3PH	3
UPW0.5-4H	4	UPW0.5-4PH	4



Case Hardened Steel 805M20		Stainless Steel 17-4PH	
Part Number Shaft Worm	No. of Starts Z_1	Part Number Shaft Worm	No. of Starts Z_1
UPSW0.5-1H	1	UPSW0.5-1PH	1
UPSW0.5-2H	2	UPSW0.5-2PH	2
UPSW0.5-3H	3	UPSW0.5-3PH	3
UPSW0.5-4H	4	UPSW0.5-4PH	4

Material

UPW-H & UPSW-H: 805M20 Case Hardened Steel, 58-62HRC.


UPW-PH & UPSW-PH: 17-4PH Stainless Steel Condition H1025, 38-40HRC.

**UPW
UPSW
1.0m_x**


PRECISION GEARS

1.0 Module Ground Worm α 20° PA

Quality Grade Worm 6e25 DIN 3974/3967



Case Hardened Steel 805M20		Stainless Steel 17-4PH	
Part Number Bore Worm	No. of Starts Z_1	Part Number Bore Worm	No. of Starts Z_1
UPW1.0-1H	1	UPW1.0-1PH	1
UPW1.0-2H	2	UPW1.0-2PH	2
UPW1.0-3H	3	UPW1.0-3PH	3
UPW1.0-4H	4	UPW1.0-4PH	4



Case Hardened Steel 805M20		Stainless Steel 17-4PH	
Part Number Shaft Worm	No. of Starts Z_1	Part Number Shaft Worm	No. of Starts Z_1
UPSW1.0-1H	1	UPSW1.0-1PH	1
UPSW1.0-2H	2	UPSW1.0-2PH	2
UPSW1.0-3H	3	UPSW1.0-3PH	3
UPSW1.0-4H	4	UPSW1.0-4PH	4

Material

UPW-H & UPSW-H: 805M20 Case Hardened Steel, 58-62HRC.

UPW-PH & UPSW-PH: 17-4PH Stainless Steel Condition H1025, 38-40HRC.

**UPW
UPSW
1.5m_x**


PRECISION GEARS

1.5 Module Ground Worm α 20° PA

Quality Grade Worm 6e25 DIN 3974/3967



UPW Bore Worm



Case Hardened Steel 805M20


Part Number Bore Worm	No. of Starts Z_1
UPW1.5-1H	1
UPW1.5-2H	2
UPW1.5-3H	3
UPW1.5-4H	4

Stainless Steel 17-4PH

Part Number Bore Worm	No. of Starts Z_1
UPW1.5-1PH	1
UPW1.5-2PH	2
UPW1.5-3PH	3
UPW1.5-4PH	4



UPSW Shaft Worm



Case Hardened Steel 805M20

Part Number Shaft Worm	No. of Starts Z_1
UPSW1.5-1H	1
UPSW1.5-2H	2
UPSW1.5-3H	3
UPSW1.5-4H	4

Stainless Steel 17-4PH

Part Number Shaft Worm	No. of Starts Z_1
UPSW1.5-1PH	1
UPSW1.5-2PH	2
UPSW1.5-3PH	3
UPSW1.5-4PH	4

Material

UPW-H & UPSW-H: 805M20 Case Hardened Steel, 58-62HRC.

UPW-PH & UPSW-PH: 17-4PH Stainless Steel Condition H1025, 38-40HRC.

**UPW
UPSW
2.0m_x**


PRECISION GEARS

2.0 Module Ground Worm α 20° PA

Quality Grade Worm 6e25 DIN 3974/3967




UPW Bore Worm



Case Hardened Steel 805M20		Stainless Steel 17-4PH	
Part Number Bore Worm	No. of Starts Z_1	Part Number Bore Worm	No. of Starts Z_1
UPW2.0-1H	1	UPW2.0-1PH	1
UPW2.0-2H	2	UPW2.0-2PH	2
UPW2.0-3H	3	UPW2.0-3PH	3
UPW2.0-4H	4	UPW2.0-4PH	4



UPSW Shaft Worm



Case Hardened Steel 805M20		Stainless Steel 17-4PH	
Part Number Shaft Worm	No. of Starts Z_1	Part Number Shaft Worm	No. of Starts Z_1
UPSW2.0-1H	1	UPSW2.0-1PH	1
UPSW2.0-2H	2	UPSW2.0-2PH	2
UPSW2.0-3H	3	UPSW2.0-3PH	3
UPSW2.0-4H	4	UPSW2.0-4PH	4

Material

UPW-H & UPSW-H: 805M20 Case Hardened Steel, 58-62HRC.

UPW-PH & UPSW-PH: 17-4PH Stainless Steel Condition H1025, 38-40HRC.

**UPW
UPSW
2.5m_x**


PRECISION GEARS

2.5 Module Ground Worm α 20° PA

Quality Grade Worm 6e25 DIN 3974/3967



UPW Bore Worm



Case Hardened Steel 805M20


Part Number Bore Worm	No. of Starts Z_1
UPW2.5-1H	1
UPW2.5-2H	2
UPW2.5-3H	3
UPW2.5-4H	4

Stainless Steel 17-4PH

Part Number Bore Worm	No. of Starts Z_1
UPW2.5-1PH	1
UPW2.5-2PH	2
UPW2.5-3PH	3
UPW2.5-4PH	4



UPSW Shaft Worm



Case Hardened Steel 805M20

Part Number Shaft Worm	No. of Starts Z_1
UPSW2.5-1H	1
UPSW2.5-2H	2
UPSW2.5-3H	3
UPSW2.5-4H	4

Stainless Steel 17-4PH

Part Number Shaft Worm	No. of Starts Z_1
UPSW2.5-1PH	1
UPSW2.5-2PH	2
UPSW2.5-3PH	3
UPSW2.5-4PH	4

Material

UPW-H & UPSW-H: 805M20 Case Hardened Steel, 58-62HRC.

UPW-PH & UPSW-PH: 17-4PH Stainless Steel Condition H1025, 38-40HRC.

**UPW
UPSW
3.0m_x**


PRECISION GEARS

3.0 Module Ground Worm α 20° PA

Quality Grade Worm 6e25 DIN 3974/3967



UPW Bore Worm



Case Hardened Steel 805M20


Part Number Bore Worm	No. of Starts Z_1
UPW3.0-1H	1
UPW3.0-2H	2
UPW3.0-3H	3
UPW3.0-4H	4

Stainless Steel 17-4PH

Part Number Bore Worm	No. of Starts Z_1
UPW3.0-1PH	1
UPW3.0-2PH	2
UPW3.0-3PH	3
UPW3.0-4PH	4



UPSW Shaft Worm



Case Hardened Steel 805M20

Part Number Shaft Worm	No. of Starts Z_1
UPSW3.0-1H	1
UPSW3.0-2H	2
UPSW3.0-3H	3
UPSW3.0-4H	4

Stainless Steel 17-4PH

Part Number Shaft Worm	No. of Starts Z_1
UPSW3.0-1PH	1
UPSW3.0-2PH	2
UPSW3.0-3PH	3
UPSW3.0-4PH	4

Material

UPW-H & UPSW-H: 805M20 Case Hardened Steel, 58-62HRC.

UPW-PH & UPSW-PH: 17-4PH Stainless Steel Condition H1025, 38-40HRC.